Breadcrumb

- 1. Home
- 2. Print
- 3. Pdf
- 4. Node
- 5. Entity Print

NVAP Reference Guide: Cattle Identification

Last Modified:

Expand All

NVAP Reference Guide: Table of Contents

Preface

Introduction

Control and Eradication

- Brucellosis
- Johne's Disease
- Pseudorabies (PRV)
- Tuberculosis
- Transmissible Spongiform Encephalopathies
- Scrapie
- Bovine Spongiform Encephalopathy (BSE)
- Chronic Wasting Disease (CWD)

Poultry

- National Poultry Improvement Plan (NPIP)
- Avian Influenza (AI)

- Exotic Newcastle disease (END)
- Equine Disease

Aquatic Animal

- Aquatic Animal National Health Plan
- Aquatic Animal Health Activities

Animal Health Emergency Management

- Animal Health Emergency Management
- Emergency Response Structure
- National Response Framework (NRF)
- National Incident Management System (NIMS)
- National Animal Health Emergency Management System (NAHEMS)
- Foreign Animal Disease Preparedness and Response Plan (FAD PReP)
- FAD Recognition and Initial Response
- National Animal Health Emergency Response Corps (NAHERC)
- Notifiable Diseases and Conditions
- WOAH and International Standards
- Cleaning and Disinfection
 - Importance of Cleaning & Disinfection
 - Cleaning
 - Disinfection
 - Regulation of Disinfectants
 - Safety
- Disease Surveillance
- Laboratory Submissions

Animal Movement

- Interstate Regulations
- Interstate Movement of Cattle, Horses, Swine, Sheep and Goats
- <u>Issuing Interstate Animal Movement Documents</u>
- International Animal Movement
- Issuing International Health Certificates (IHCs) for Live Animal Movement
- Common Problems Observed on Certificates for Live Animal Movement

Animal Identification

- Animal Identification
- Cattle Identification
- Swine Identification
- Equine Identification
- Sheep and Goat Identification
- Fowl Identification
- Compliance and Regulations

Appendix

- A: 9 CFR PARTS 160, 161, and 162
- B: APHIS VS District Offices
- C: State Animal Health Officials
- D: Forms
- E: Other Organizational Information with Contact Points
- F: Web Sites
- G: Equine Teeth and Aging

Record all forms of identification if more than one form is present. (See figure 2 for an example of a calfhood vaccination identification, figure 3 for a depiction of cattle dentition to assess age, and table 3 for a list of bovine breeds and abbreviation codes.) In addition to listing the approximate age, gender, and breed of the animal, use one or more of the following identification methods:

- Official eartag (1.59 MB).
- Individual animal's registration tattoo accompanied by the official registration certificate issued by a recognized breed association.
- Official registration brand accompanied by official brand inspection certificates issued by a recognized brand inspection agency.
- Registration number of a breed association recognized by APHIS -VS in conjunction with an official eartag, tattoo, or brand.
- USDA-approved backtag. Backtags are used mostly in stockyards or slaughterhouses. These cannot be used as the only identification for on farm testing.

Figure 2— Example of a Brucellosis calfhood vaccination identification.




Figure 3— Cattle dental formula. (Adapted from Bovine Practitioner, No. 9-74, and "Incisor Tooth Eruption, Development and Attrition," Texas A&M University)




Figure 3— *Cattle dental formula.* (Adapted from Bovine Practitioner, No. 9–74, and "Incisor Tooth Eruption, Development and Attrition," Texas A&M University.)

Table 4: State, Tribe, and Territory Codes

• See linked table (365.84 KB) (365.84 KB) for assigned State numbers.

<u>Print</u>